

INDEX MAPS.

T.7N R.1W 2nd Mer.

	201		200		200		200		199		199	
203	6	221	5	218	4	214	3	210	2	207	1	196
	222		221		217		214		210		206	
202	7	201	8	217	9	213	10	210	11	206	12	196
	222		220		217		213		209		206	
202	18	220	17	217	16	213	15	209	14	205	13	196
	223		220		216		212		209		205	
201	19	219	20	216	21	212	22	208	23	205	24	195
	223		219		215		212		208		204	
201	30	219	29	215	28	211	27	208	26	204	25	195
	223		218		215		211		207		204	
201	31	218	32	214	33	211	34	207	35	203	36	195
	199		198		198		198		197		197	

T.8N R.1W 2nd Mer.

	231		230		230		230		229		229	
233	6	250	5	247	4	243	3	240	2	236	1	229
	250		250		247		243		239		236	
232	7	250	8	246	9	243	10	239	11	236	12	228
	251		250		246		242		239		235	
232	18	250	17	246	16	242	15	238	14	235	13	228
	251		249		245		242		238		235	
232	19	249	20	245	21	241	22	238	23	234	24	227
	251		249		245		241		237		234	
231	30	248	29	244	28	240	27	237	26	234	25	227
	252		248		244		240		237		233	
231	31	247	32	244	33	240	34	237	35	233	36	226
	226		226		226		225		225		225	

The figures on the lines refer to the page.

209
195
Township N. 7 North, Range N. 17 W. 2nd Meridian.
T. N. 7 N. W. N. 17. 2nd Mer. Indiana

Chs. Mts.
North On the 2nd Mer. between Towns 7 & 8 N. R. 16
E & 17 W. on the E. side of Sec 36
0.50 To a Brook 10 miles wide; Course S. W.
3.00 Intersected my line (i.e. at Holmes) at the camping
post from which Sugar 10 mi. dist. bears N 72 E
9 miles dist; and a L. 15 n n n N 66 W
17 n n n Was derived the variation then to
be 6° 25! Continued the 2nd Principal meridian

North East side of sec 36. 2nd Mer. line.
40.00 Set a post for the cor to 1/4 sec. from which a
Log made 5 mi. dist. bears N 74 W 9 miles dist; & a
L. 6 n n n S 45 E. 20 n n
80.00 Set a post for the cor to Sec. 25 & 36. T. N. 7, N.
R. N. 17. from which an Ironwood 6 mi. dist. bears
S 87 E 3 miles dist; and a Sugar 9 n n n
N 24 W 8 n n Sand hill; Timber Oak

North On the 2nd Mer. between T. 7 & 8 N. R. 1 E & 17 W.
East side of sec. 25
12.00 To a Brook 10 miles wide; Course W.
25.00 a P. n 10 n n n W
32.50 To a Brook 12 mi. dist. stands in the line
40.00 Set a post for the cor to 1/4 sec from which a
Sugar 24 mi. dist. bears N 15 W. 13 miles dist; & a
Brook 12 n n n S 15 W 23 n n
57.10 To a Brook 6 miles wide; Course West
71.50 n n n Oak 36 mi. dist. stands in the line.
75.00 To a Brook 4 miles wide; Course W.
80.00 Set a post for the cor. to Sec. 24 & 25. T. N. 7, N.
R. N. 17. 2nd Mer. from which a W. Oak 24
mi. dist. bears N 25 W. 9 miles dist; & a Brook 10
n n n N 83 E. 11 n n
March 27. 1881

North On the 2nd Mer. between Towns 7 & 8 N. R. 1 E &
17 W. on the E. side of sec 24

T. N. 7. N. R. N. 17. 2nd Mar. (Ch. 1st)

17. on the E. side of sec 24

- 21.00 To an W. Oak. 26 in. dia. Stems in the river
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 16 in. dia. bears N 47. 20 W. dist; & a
 Hickory 16 in. " " South 21 in. " " woods
 very high Hill
 80.00 Set a post for the cor. to sec. 13 & 24 T. N. 7. N.
 R. N. 17. from which a W. Oak 15 in. dia. bears
 N 65 E. 4 miles dist; & a Buck 7 in. " "
 N 55 W 5 in. " " Sande level; Timber Buck & Sugar

North On the 2nd Mar. Between T. N. 7. N. R. 1 E. & 17
 in the E. side of sec. 13

- 6.00 To a Brook 30 miles. dist; Course E. N. E.
 38.00 " " " 30 in. " " W.
 40.00 To a Hickory 24 in. dia. stands for the cor. to 1/4 sec.
 45.00 To a Brook running E. W. kept up in it
 15 ch; left it to the West
 80.00 To a Buck 24 in. dia. stands for the cor. to sec.
 12 & 13 T. N. 7. N. R. N. 17. Sande hilly; Timber
 Buck;

North On the 2nd Mar. between Towns. 7. 87. N. R. 1 E. & 17
 W. in the E. side of sec 12.

- 1.00 To a Brook 250 miles. dist; Course W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 10 in. dia. bears S 35 W. 13 miles dist; & a
 W. Oak 36 in. " " N 16 W. 20 in. " "
 66.50 To a W. Oak 33 in. dia. Stems in the river
 80.00 Set a post for the cor. to sec. 1 & 12. T. N. 7. N.
 R. N. 17. from which a Sugar 16 in. dia. bears
 N 9 W. 16 miles dist; & a 20 15 in. " "
 S 65 W. 21 in. " " Over high hills; Timber
 Oak, Buck & Sugar.

North On the 2nd Mar. between T. N. 7. N. R. 1 E. & 17.

T. N. of N. R. No 177. 2nd Mer. (Inde.)

- on the East side of Sec 1.
 34.75 To a M. Oak 36 in. dia stands on the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 M Oak 14 in. dia bears N 45 E. 19 miles dist; to
 Hickory 6 " " " S 45 W 24 " "
 75.00 To a Spruce 6 inches dia; corner E.
 80.00 Set a post for the cor. to Towns 7. & 8. N. 1 E
 + 1 W from which a M Oak 24 in dia bears
 N 15 E. 25 miles dist; to a Buck 10 " " "
 S 39 W 3 " " Hilby Oak lands;
 some Buck & Sugar etc

South Boundary.

- West On the S. Boundary of T. N. 7 N. R. No 177.
 South side of sec 36. from the cor of Towns 6 & 7.
 N. 1 E + 1 W
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 6 in dia bears N 18 W 12 miles dist; to
 do 5 " " " S 45 W 6 " "
 80.00 Set a post for the cor. to Sec 35. & 36. T. N. 7
 N. R. No 177. from which a Buck 16 in dia bears
 S 34 E. 6 miles dist; to do 12 " " "
 N 10 E 26 " " Hilby Oak lands.

- West On the South Boundary of T. N. 7 N. R. No 177
 South side of sec. 35.
 19.25 To a Spruce 30 in. dia stands on the line.
 40.00 Set a post for the cor. to 1/4 sec from which a
 Mulberry 12 in. dia bears N 65 W 36 miles dist; to
 Buck 10 " " " S 26 E 10 " "
 80.00 Set a post for the cor. to Sec 34 & 35. T. N. 7
 N. R. No 177. from which a Buck 15 in. dia
 bears N 52 E. 8 miles dist; to do 9 " " "
 " S 15 W 13 " " Hilby Oak land
 March 31. 1811
 West On the South side of sec 34. T. N. 7 N. R. No 177.

T. N. 7 N. R. N. 17. 2nd Mer. Ind.

- 30.00 To a Brook 6 miles mid; course S.
 40.00 Set a post for the cor. to 14 sec. from which a
 Buck 18 mi. dia bears S 65 E. 8 miles dist; to
 No 12 n " " N 83 W. 20 n "
 77.50 To a Brook 250 miles mid; course S.
 80.00 Set a post in the 73k of the cor. for the cor.
 to Sec. 33 & 34 T. N. 7 N. R. N. 17. From which a
 Buck 30 mi. dia bears N 82 W. 40 miles dist; see
 Entry 10 n " " N 77 E. 27 n "
 Sand dunes April 1st 1811.

- West On the South Boundary of T. N. 7 N. R. N. 17
 South side of Sec 33.
 26.00 To a Brook 40 miles mid; course N.
 40.00 Set a post for the cor. to 14 sec. from which a
 Buck 12 mi. dia bears S 54 W. 7 miles dist; to
 Sugar 30 n " " N 10 E. 23 n "
 57.00 To a spring on course S.
 60.00 " " " " " S E.
 65.00 To a Sugar 18 mi. dia stands in the river.
 80.00 Set a post for the cor. to Sec 32, & 33. T. N. 7 N.
 R. N. 17. From which a Buck 30 mi. dia bears
 S 60 W. 11 miles dist; to No 30 n " "
 N 71 E. 27 n " " Sand nicks; Sugar,
 Ash, & Buck;

- West On the South Boundary of T. N. 7 N. R. N. 17.
 South side of Sec 32
 34.00 To a Buck 16 mi. dia bears in the river.
 40.00 Set a post for the cor. to 14 sec. from which a
 Buck 12 mi. dia bears S 60 E. 25 miles dist; to
 Sugar 8 n " " S 77 W. 25 n "
 65.00 To a Brook 3 miles mid; course N.
 80.00 Set a post for the cor. to Sec. 31. & 32 T. N. 7 N.
 R. N. 17. From which a Poplar 36 mi. dia
 bears N 9 W. 17 miles dist; to Logwood 8 n "

T. No 7 N.R. No 177. 2nd Mer. (Ariz.)

Leaves N 71 W 27 miles dist; Sand creek; Union
Sugar Walnut & Yucca;

West On the South Boundary of T. No 7 N.R. No 177
South side of Sec 31.

40.00 Set a post for the cor. to 1/4 Sec. from which a
Dogwood 8 in. dia bears S 50 W. 25 miles dist; to
Yucca 15 " " " N 6 E. 26 " "

82.75 Still 450 miles North of Phoenix to mile post;
Continued Range line to water hole cor. to towns
617 Range 1 & 2 W. from which a Yucca 30
in dia bears S 77 W. 32 miles dist; to Poplar 30
" " " N 37 W 38 " "

North Boundary

West On the South Boundary of T. No 8 N.R. No 177.
South side of Sec 36.

40.00 Set a post for the cor. to 1/4 Sec from which a
W Oak 10 in. dia bears S 83 W. 31 miles dist; to
Deser. 18 " " " N 83 E. 19 " "

42.00 To a Brook 8 miles min; leaves S.E.

80.00 Set a post for the cor. to Sect 35 & 36 T. No 8.
N.R. No 177 from which a Hawth 3 in. dia bears
S 2 E. 3 miles dist; to W Oak 20 " " "
N 32 W 18 " " Poor Hilby Oak lands;

West On the South Boundary of T. No 8 N.R. No 177.
South side of Sec 35.

39.00 To a Brook 25 miles min; leaves S.

40.00 Set a post for the cor. to 1/4 Sec. from which a
Butternut 6 in. dia bears N 50 W. 10 miles dist; to
W. Yucca 3 " " " S 59 E. 14 " "

80.00 Set a post for the cor. to Sect 34 & 35 T. No 8 N.R.
No 177. from which a Yucca 5 in. dia bears
N 72 W 11 miles dist; to Hilby 11 " " "
S 4 E 21 " " Sand smadling foot; timber

T. No 7 N.R. No 177. 2nd Mer. Inda.
Buck Sugar, &c

West On the South Boundary of T. No 8 N.R. No 177.
on the South side of Sec. 34

13.50 To a Brook 8 miles; course S.E.

40.00 Set a post for the cor. to 14 Sec. from which a
Sugar 14 mi. dist. bears N 31 E. 10 miles dist; & a
Buck 4 n n n S 45 W. 25 n n

80.00 Set a post for the cor. to Sec. 33, & 34 T. No 8
N.R. No 177 from which a Sugar 18 mi. dist. bears
N 35 W. 27 miles dist; & a Buck 10 n n n
S 28 E. 5 n n
Canebrake timber as same as the last mile.

West On the South Boundary of T. No 8 N.R. No 177
South side of Sec. 33

40.00 Set a post for the cor. to 14 Sec. from which a
Hack 78 mi. dist. bears N 42 W. 12 miles dist; & a
Buck 9 n n n S 44 E. 26 n n

57.50 To a Brook 10 miles; course S.

80.00 Set a post for the cor. to Sec. 32, & 33. T. No 8 N.
R. No 177 from which a Buck 14 mi. dist. bears
N 80 E. 7 miles dist; & a Sugar 10 n n n
S 45 W. 20 n n Port lands; timber: Buck W. & H. dist;

West On the South Boundary of T. No 8 N.R. No 177.
South side of Sec. 32.

40.00 Set a post for the cor. to 14 Sec. from which a
Hack 13 mi. dist. bears N 54 E. 6 miles dist; & a
Logan 4 n n n S 27 W. 22 n n

66.50 To a Brook 8 miles; course South.

80.00 Set a post for the cor. to Sec. 31, & 32 T. No 8 N.
R. No 177 from which a Buck 4 mi. dist. bears
S 70 E 12 miles dist; & a Log 4 n n n
West 13 n n Port Buck lands;

T. N. 7 N. R. N. 1 W. 2nd Mer. (Ind. a)

- West On the East Boundary of T. N. 8 N. R. N. 1 W.
 40.00 Set a post for the cor. to Sec. 14 Sec. from which a
 Sugar 6 mi. via. bears N 52 E. 3 miles dist; 1 a
 Do 4 a " " S 65 W. 16 a "
 56.50 To a Brown 75 miles via. bears S. E.
 80.00 Set a temporary post for the cor of Towns 7. 18.
 N. 18 2 W. Post 1/2 mile rich and good;
 timber Sugar Ash, & Walnut. 2nd 1/2 mile

West Boundary.

- North Between T. N. 7 N. R. 18 2 W. on the east side
 of Sec. 36. T. N. 7 N. R. 2 W.
 30.00 To a Day & Spring East: Course N. E.
 6.00 " " Brooks 3 miles via; Course E.
 30.00 " " Do. 6 a " " E.
 40.00 Set a post for the cor to Sec. 14 Sec. from which a
 Buck 24 mi. via bears S 50 W. 20 miles dist; 1 a
 Do 26 a " " N 12 E 49 a "
 80.00 Set a post for the cor to Sec. 25 & 36 T. N. 7 N.
 R. N. 2 W. from which a Buck 18 mi. via bears
 N 82 W 18 miles dist; 1 a Do 14 a " "
 S 8 E 39 a " Hilby Oak, Amos.

- North On the East Boundary of T. N. 7 N. R. N. 2 W.
 on the North side of Sec 25.
 40.00 Set a post for the cor to Sec 14 Sec from which a
 Buck 18 mi. via bears N 27 W. 24 miles dist; 1 a
 Elm 18 a " " S 46 W 26 a "
 80.00 Set a post for the cor. to Sec. 24 & 25 T. N. 7 N. R. N.
 2 W. from which a Buck 18 mi. via bears N 19 W
 11 miles dist; 1 a Do 18 a " " S 22 W
 42 a " " Good lands; Timber Buck, Sugar
 Ash &c

- North On the E. Boundary of T. N. 7 N. R. N. 2 W.
 East side of Sec 24

T. No 7 N.R. No 177. 2nd 7th Ind.

30.00 To the mouth of a Cove facing the West; & extending to the Eastward; nearly straight & is completely unbroken; in an average 6 feet high & 7 feet in width; we measured 300 lbs it appeared to extend in the same direction & to increase in size but for want of light we ventured no further; There is a first rate Spring running from it;

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Buck 18 mi. in. bears N 86 E 11 miles dist; to
do 18 " " " " N 6 N. 21 " "

43.00 To a Brook 15 miles in. Course E.

60.75 " " Sugar 24 mi. in. stands in the line.

78.50 " " Brook 150 miles in. Course S.E.

80.00 Set a post for the cor. to Sec 13 & 24 T. No 7 N. R. No 277. in the Banks of a Brook from which a Sugar 12 mi. in. bears N 29 E 7 miles dist; to
do 18 " " " " N 63 W 31 " "
Sandsick; Timber Sugar, Elm, Walnut:

North On the East Boundary of T. No 7 N.R. No 277.
East side of Sec 10

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Sugar 14 mi. in. bears N 55 E. 10 miles dist; to
do 16 " " " " S. 55 W. 15 " "

55.00 To a Brook 150 miles; Course S. W.

66.00 " " Sugar 12 mi. in. stands in the line.

73.00 " " Brook - 150 miles; Course S.E.

80.00 Set a post for the cor. to Sec 12 & 13. T. No 7 N. R. No 277. from which a Buck 36 mi. in. bears N 50 W. 17 miles dist; to do 16 " "
" " N 80 W 24 " "
Sandsick; Good mill seats; & well timbered

North On the East Boundary of Sec 12 T. No 7 N.R. No 277.

T. No. 7. N.R. No. 177. 2nd Mer. Ind. a

- 15.00 To a Brook - 11 mi. mid; hence S.W.
 22.00 " " 20 " " " " S.E.
 34.00 To a Brook 20 " " " " N.
 40.00 Set a post for the cor. to 1/4 sec. From which a
 Back 36 mi. dia bears N 15 E. 14 miles distant
 20 24 " " " S E. 31 " "
 47.00 To a Brook - the mid; hence S.W.
 77.00 " " " " " " S.E.
 80.00 Set a post for the cor. to sec. 1 & 2. T. No. 7. N.R.
 No. 277 From which a Back 16 mi. dia bears
 N 71 W. 14 miles dist; to 1/4 sec. 6 " "
 S 3 E. 19 " "

- North On the E. Boundary of sec. 1 T. No. 7. N.R. No. 277.
 15.00 To a Brook - the mid; hence S.W.
 30.00 " a Walnut 18 mi. dia stands on the line;
 35.00 To a large of rocks
 40.00 Set a post for the cor. to 1/4 sec. From which a
 Back 18 mi. dia bears S 2 E. 13 miles distant
 Elm 18 " " " N 10 W. 25 " "
 60.00 To a Spring; hence S.E.
 77.00 Intersection the E. & W. Town line 150 miles west
 of the first set by James; moved at 4 is the Inter-
 section for the cor. to sections 7 & 8. T. No. 7. N.R.
 From which a Back 12 mi. dia bears N 73 W. 12
 miles dist; to W. Oak 30 " " " S 40 E 23
 " " April 4th 1811.

Subdivisions

- North To a Brook Sec. 35 & 36. T. No. 7. N.R. No. 177.
 40.00 Set a post for the cor. to 1/4 sec. From which a
 Back 18 mi. dia bears S 50 E. 26 miles dist; to
 20 10 " " " N 78 W 7 " "
 76.00 To a Brook 20 mi. mid; hence N.
 80.00 Set a post for the cor. to sec. 25, 26, 35, & 36

T. No 7 H.R. No 177. 2nd & 7th Nov. (Ind.)

First set for the cor to Sec. 24 & 25. T. No 7 H.R.
No 177. Sand, soil & timber same as the last
mile;

West On a true line between Sec. 24 & 25

40.00 Set the temporary post at the aver. dist. on the true
line for the cor to 1/4 sec. from which a Tree 10
in dia bears S 4 E. 11 miles dist; & a No 10
" " " N 82 W 12 " "

80.00 To the first set for the cor. to Sec. 23, 24, 25 & 26

North Between Sec. 24 & 23

40.00 Set a post for the cor to 1/4 sec. from which a
Tree 8 in. dia bears S 51 E. 9 miles dist; & a
No 4 " " " S 20 W 13 " "

80.00 Set a post for the cor. to Sec. 13, 14, 23, & 24 from
which a Tree 5 in dia bears S 21 W 23 miles
dist; & a No 8 " " " N 55 W 39 " "
" Sand, soil & timber the same.

East On a Meridian line between Sec. 13 & 24

40.00 Set a temporary post for the cor to 1/4 sec

58.50 To a Brook 150 miles dist; S. E.

80.12 Intersected the N 7 S. line at the first set for the
cor to Sec. at the first set for the cor. to Sec 13 &
24 T. No 7 H.R. No 177
Sand, soil, timber all the same as the last mile

West On the true line between Sec. 13 & 24 T. No 7 H.R.

40.06 Set the temporary post at the aver. dist; on the true
line for the cor. to 1/4 sec. from which a Tree
10 in dia bears West 20 miles dist; & a No
15 " " " S 64 W 20 " "

80.12 To the first set for the cor to Sec. 13, 14, 23 & 24

North Between Sec. 13 & 14. T. No 7 H.R. No 177.

T. No 7 N.R. No 7 W. 2nd do New. Ind. a

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 20 in. dia. bears S 14 W. 23 links dist; & a
 Do 12 " " " S 70 E. 20 " "
- 80.00 Set a post for the cor. to sec. 11, 12, 13, & 14 from
 which a Hickory 8 in. dia bears S 30 E 7 links dist;
 and a W Oak 18 " " " N 68 W 20 " "
- Sandy flat timber Buck, Gum, Oak, Ash & Walnut

- East On a Random line between Sec. 12 & 13. T. No 7 N.R. No 7 W.
- 25.00 To a Brook 15 links wide; course S. & W.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 76.00 To a Brook 200 links wide; course S.
- 80.00 Intersect the N & S line at the post set for the cor.
 to sec. 12 & 13. T. No 7 N.R. No 1 W.
 Same the same as the last mile

- West On a true line between Sec. 12 & 13. T. No 7 N.R. No 7 W.
- 40.00 Set the temporary post at the cor. dist on a true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 W Oak 12 in. dia bears S 5 W. 3 links dist; & a
 Hornedoe 6 " " " N 21 E. 29 " "
- 80.00 To the post set for the cor. to sec. 11, 12, 13, & 14.

- North Between Sec. 11 & 12. T. No 7 N.R. No 1 W.
- 21.00 To a Brook 10 links wide; course S.E.
- 40.00 Set the post for the cor. to $\frac{1}{4}$ sec. from which a
 W Oak 20 in. dia bears N 4 E. 23 links dist; & a
 Do 12 " " " S 42 W 26 " "
- 73.00 To a Brook 12 links wide; course S.E.
- 80.00 Set a post for the cor. to sec. 1, 2, 11, 12. from
 which a Buck 10 in. dia bears S 46 W 13 links dist;
 and a Do 12 " " " N 21 E. 19 " "
- Sandy hill; Timber Oak, Hickory, & Buck;

- East On a Random line between Sec. 1 & 12. T. No 7 N.
 N. N. W.

T. No. 7. N.R. No. 177. 2nd sec. 17th. (Ind.)

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 81.38 Intersected the N15' line 48 links South of
 the cor. to sec. 1 & 12 T. No. 7 N.R. No. 177.
 Sande Heilly thin soil; Timber Oak, & Hickory.

- West Between Sec. 1 & 12. On a Random line T. No. 7 N.R. No. 177.
 40.19 Set the temporary post at the aver. dist. on the true
 line for the cor. to $\frac{1}{4}$ sec. from which a
 Log woods 6 mi. dist. bears N30 W. 17 links dist; to
 Maple 10 " " " S 9 W. 20 " "
 80.38 To the post set for the cor. to sec. 1, 2, 11, 12

- North Between Sec. 1 & 12 T. No. 7. N.R. No. 177.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W Oak 20 mi. dist. bears N75 E - links dist; to
 Log 20 " " " S16 W. 9 " "
 81.03 Intersected the N. Boundary of T. No. 7 N.R. No. 177
 at the post set for the cor. to sec. 35 & 36 T. No. 8.
 N.R. No. 177. Sande, soil, timber, &c. same as the
 last mile.

- North Between Sec. 34 & 35 T. No. 7. N.R. No. 177.
 32.00 To a Brook 12 links dist; corner N.W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W. Walnut 10 mi. dist. bears N70 W. 15 links dist; to
 Log 7 " " " N42 E. 14 " "
 80.00 Set a post for the cor. to sec. 26, 27, 34 & 35 from
 which a Buck 8 mi. dist. bears N72 E 17 links dist;
 under a Log " " " N11 W 8 " "
 Sande flat; Timber Buck, Gum, Oak, & Hickory

- East On a Random line between Sec. 26 & 35 T. No. 7. N.R. No.
 177.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 73.00 To a Brook 207 links dist; corner N.W.
 80.00 Intersected the N & S line 12 links South of sec.

T. N^o 7 N.R. N.R. N^o 177. 2nd 1st (Ind.)

cor. to sec. 25, 26, 35 & 36.

Sandy soil, timber, w/4 & same as on the last mile.

West On a true line between Sec. 26 & 35. T. N^o 7 N.R. N^o 177.

40.00 Set the timber post at the corner, with a true line for the cor. to $\frac{1}{4}$ sec. from which a

Buck 6 mi. dia. bears N 56 E. 14 miles dist; 10

do 10 " " " S 20 E. 11 " "

80.00 To the first set for the cor. to sec. 26, 27, 34 & 35

North Between Sec. 26 & 27 T. N^o 7 N.R. N^o 177.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Buck 175

miles dist; Sec. 26 & 27.

80.00 Set a post for the cor. to sec. 22, 23, 26 & 27. from

which a W. Oak 20 mi. dia. bears N 21 E. 6 miles dist;

ridge Buck 10 " " " S 42 W 39 " "

Sandy soil, timber, & same as on the last mile

East On a true line between Sec. 23 & 26 T. N^o 7 N.R. N^o 177.

40.00 Set a timber post for the cor. to $\frac{1}{4}$ sec.

80.00 Intersect the N 45 E line 10 miles North of the first set for the cor. to sec. 23, 24, 25, & 26.

Sandy soil, timber & same as the last mile.

West On a true line between Sec. 23 & 26. T. N^o 7 N.R. N^o 177.

40.00 Set the timber post at the corner, with a true line for the cor. to $\frac{1}{4}$ sec. from which a

Poplar 5 mi. dia. bears N 45 E 11 miles dist; 10

do 5 " " " S 57 W 17 " "

80.00 To the first set for the cor. to sec. 22, 23, 26, & 27

North Between Sec. 22 & 23. T. N^o 7 N.R. N^o 177.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Buck 15 mi. dia. bears S 77 W. 17 miles dist; 10

T. No 7 M.R. No 177. 2nd Mar (S. d. c.)

8000 Back 15 mi. via beam N45W 27 miles north
Set a post for the the cor to cor. 22, 23, 14 & 15

East Oak Run distance between Sec. 44 & 23. T. 47. N.
R. 1. W.

40.00 Let a stamp for the air to 1/4 per

80.00 Intersect the N & S line 20 miles North of the
first lot for the cor. to Secs. 13, 14, 23, & 24
Land, soil, timber, &c same as the last mile;

West On a true line between Sta 14 & 23. Twp 17 N. R. 17 E.

40.00 Get the temp. put at the adv. dist. on the true line
for the car to go see from outfit a

Truck 10 in the house N 77 E. White Mt; on

No 8 n n n ME. 17 n n

81.00 To the Great Set for the cor to feet 14, 15, 22, 23,

North Rutoun Dec. 14/15 J. M. F. R. No. 177

40.00 Got a post for the car to Mr Lee from which a

W. Oak. 12 mi. or less S42 N. Yankee mts; 1 a

40 15 n n n - 128° 23 n n

80.00 Set a post for the cor. to bet. 10. 11. 14. 15. from
which a Rust C. in. dia bore 439 ft. 19, timberlist
and a No 5 in a in No 20 E. 15 in a in
Sandy soil, timber, &c same as the last one.

East on a Runway mile between Dec 11 & 14 I.M. 7. to M. 17 1/2.

40.00 Get a temporary post for the car to the sec.

80.50 Enter section the N.E. line of 8. line N of the first lot for the cor to Secs 11, 12, 13, & 14. Sands and timber so same as the last mile;

West Chatham Min. between Dec. 11 & 14 T. No. 7, H. No. 1 W.

40.25 Set a post for the cor. of '14 sec. at the aver. dist; on a true line. From which, a Buck 3 in. dia bears S 62 E 5

T. N. 7 N. R. N. 17. 2nd Mer. (Ind. of)

linked ditch; and low L₀ - in dia bears N28 E. 10

80.50 To the first lot for the cor. to lot 10. 11. 14. 15.

North Between Sec. 10. 11 T. N. 7 N. R. N. 17

14.30 To a Buck 15 in dia stands in the line

40.00 Set a post for the cor. to 14.30 from which a
Buck 4 in. dia bears S57 N. 20 linked ditch; 10
W. distance 10 n n S43 E 20 n n80.00 Set a post for the cor. to lot 2, 3, 10, 11. T. N. 7 N.
R. N. 17. from which a Buck 12 in dia bears
N44 E. 10 linked ditch; for L₀ 5 n n
S27 E. 6 n Sand pit timber + same as the last
mile;

East On a main line between Sec. 2 & 11. T. N. 7 N. R. N.

40.00 Set a temporary post for the cor. to 14.30.

80.00 Intersect the N. 8 S line 100 links North of the
first lot for the cor. to lot 1, 2, 11, 12 from which
Sand pit timber same as the last mile;

West On a true line between Sec. 2 & 11

40.00 Set the temporary post at the cor. ditch; on a true line
for the cor. to 14.30 from which a Buck 8 in. dia bears
S16 N. 4 linked ditch; 10 L₀ 4 n n
N9 E 20 n n

North Between Sec. 2 & 13 T. N. 7 N. R. N. 17

40.00 Set a post for the cor. to 14.30 from which a
Buck 15 in. dia bears S40 E 15 linked ditch; 10
L₀ 15 n n N24 W 20 n n79.50 Set a post on the N. Boundary of T. N. 7 N. R. N. 17
58 linked ditch; West of the first lot for the cor. to lot
34, 35. T. N. 8 N. R. N. 17. from which a
Buck 15 in. dia bears N41 E. 14 linked ditch; 10
Buck 15 n n N76 W 17 n n

T. N. 7 N. R. N. 17. 2nd 4th. S. 1st.

Shade, soil, timber & same as the last mile.

North Between Sec. 33. & 34 T. N. 7 N. R. N. 17.

17.00 To a Brook 100 miles midw, corner S.E.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 12 in. dia. bears East 30 miles dist; & w
Elev 10 " " " N 69 W 25 " "

80.00 Set a post for the cor. to Sec. 27, 28, 33 & 34 from which
a Buck 12 in. dia. bears S 57 E. 14 miles dist; & w
Do 8 " " " N 4 E. 23 " "
Land rolling; Timber Buck, Oak, & Hickory

East On a random line between Sec. 27 & 34 T. N. 7 N. R. N. 17

31.00 To a Brook 200 miles midw, corner S.E.

40.00 Set a timber post for the cor. to 1/4 sec

80.00 Intersected the N. S. line 50 miles North of the post set
for the cor. to Sec. 26, 27, 34, & 35
Land, soil, timber, & same as in the last mile.

West Between Sec. 27. & 34 On a true line. T. N. 7 N. R. N. 17

40.00 Set a post for the cor. to 1/4 sec, at the av. dist; on
a true line from which a Maple 10 in. dia. bears S 64 E
24 miles dist; & w Hickory 12 " " " S 27 W
14 " " "

80.00 To the post set for the cor. to Sec. 27, 28, 33, & 34

North Between Sec. 27. & 28 T. N. 7 N. R. N. 17.

24.00 To a Brook 150 miles midw, corner S.E.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 6 in. dia. bears N 26 E 6 miles dist; & w
Do 10 " " " " S 36 W 8 " "

54.00 To a Brook 150 miles midw, corner N.

80.00 Set a post for the cor. to Sec. 21, 22, 27, & 28 from
which a Buck 8 in. dia. bears N 7 E 25 miles dist; & w

T. No. 7 N.R. No. 177. 2nd Mer. (Ch. 19)

Heick 10 in. dia bears N 87 W 27 links dist; 10
Sands rich under bed; Tinted 9 Buck, Ash, & Heick

East On a Random line between Sec. 22, 27 T. No. 7 N.R.
No. 177 2nd Mer. Ch. 19

36.50 To a Post 10 links mid; corner S.

40.00 Set a tramped post for the cor. to 1/4 sec.

46.00 To a Post 10 links mid; corner N.E.

55.00 " " " 10 " " " S.W.

80.00 Intersected the N 87 W 24 links North of the Post
Set for the cor to Sec. 22, 23, 26, & 27.

Sands, Grd., tinted & same as on the last mile.

West On a true line between Sec. 22, 27 T. No. 7 N.R.
177. 2nd Mer

40.00 Set a post for the cor to 1/4 sec. at the corner dist; in
the true line from which a Buck 25 links dist; bears
N 18 E 30 links dist; & a Do 15 " " " "
S 74 W 11 " "

80.00 To the Post set for the cor to Sec. 21, 22, 27, & 28

North Between Sec. 21 & 22, T. No. 7 N.R. No. 177.

40.00 Set a post for the cor tipped. From which a
Cum 12 in dia bears N 30 E 9 links dist; 10
Buck 5 " " " S 5 W 7 " "

80.00 Set a post for the cor to Sec. 15, 16, 21, & 22 from
which a Buck 10 in. dia bears N 87 E 15 links dist;
made a Do 15 " " " S 79 W 12 " "
Sands rich and rolling: Tinted, Aug. or, Ash, Oak
Poplar & Walnut.

East On a Random line between Sec. 15 & 22 T. No. 7 N.
R. No. 177.

40.00 Set a tramped post for the cor. to 1/4 sec.

79.86 Intersected the N 87 W line at the Post set for the
cor to Sec. 14, 15, 22, & 23. Sands same as last mile

T. No. 7. N.R. No. 1st W. 2nd Rev. (Ind. a.)

- West On a true line between Sec. 15, & 22. On a true line
T. No. 7 N.R. No. 1st W.
39.93 Set the temporary post at the aver. dist on the true line for
the cor. to $\frac{1}{4}$ Sec. from which a Poplar 100 in. dia. tree
bears S 49th 12 miles dist; & a Sugar 20 " "
" N 62th 18 " "
49.86 To the post set for the cor. to Sec. 15, 16, 21. & 22

- North Between Sec. 15 & 16 T. No. 7 N.R. No. 1st W.
40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Sugar 7 in. dia. tree bears S 56th E 11 miles dist; & a
Do 10 " " " S 86th W. 17 " "
80.00 Set a post for the cor. to Sec. 9, 10, 15, & 16. from
which a Buck 12 in. dia. tree bears N 40th W. 14 miles dist;
and a Sugar 8 " " " N 46th E. 14 " "
Sanderling, Timber Oak, Sugar & Ash, &c

- East On a Random line between Sec. 10, & 15 T. No. 7 N.R.
No. 1st W.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
73.00 To a Brook 4 miles wide; Course S.
80.00 Intersection the N & S line 18 miles N. of the post set
for the cor. to Sec. 10, 11, 14, & 15.
Sands & soil timber &c same as on the last mile.

- West Between Sec. 10, & 15 On the true line T. No. 7 N.R.
No. 1st W.
40.00 Set the temporary post at the aver. dist on the true line
for the cor. to $\frac{1}{4}$ Sec. from which a
Buck 20 in. dia. tree bears S 40th W. 18 miles dist; & a
Sugar 8 " " " S 88th E. 11 " "
80.00 To the post set for the cor. to Sec. 9, 10, 15, 16.

- North Between Sec. 9, & 10 T. No. 7 N.R. No. 1st W.
40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Sugar 10 in. dia. tree bears N 18th E. 10 miles dist; & a

T. No. 7 N.R. No. 177. 2nd Mer. Ind.

Dogwood 3 in dia bears N. 57 E. 9 links dist; 1
62.00 To a Brook 10 links wide; course S.E.
80.00 Set a post for the cor. to Sec. 3, 4, 9, 10, from
which a Buck 4 in. dia bears N. 4 E. 12 links dist
and a Walnut 6 in. " " West 35 " "
Sand soil timber &c same as on the last mile

East On a Random line between Sec. 3. & 10. T. No. 7 N.
R. No. 177.

40.00 Set a temporary post for the cor. to 1/4 Sec.
80.18 Intersected the N.S. line 25 miles South of the post
of the post set for the cor. to Sec. 2, 3, 10, & 11
Sand soil timber &c same as the last mile

West Between Sec. 3 & 10 On a true line T. No. 7 N.
R. No. 177.

40.09 Set the temporary post at the arroyo dish; on the true line
for the cor. to 1/4 Sec. from which a
Buck 3 in. dia bears N. 45 E. 13 links dist; & a
Do 18 in. " " S. 63 W. 21 " "
80.18 To the post set for the cor. to Sec. 3, 4, 9, 10

North Between Sec. 3 & 4 T. No. 7 N.R. No. 177

40.00 Set a post for the cor. to 1/4 Sec. from which a
Walnut 20 in. dia bears S. 10 E. 25 links dist; & a
Buck 15 in. " " S. 52 W. 4 " "
79.94 Intersected the N. Boundary of T. No. 7 N.R. No. 177
118 links West of the post set for the cor. to Sec. 3 & 4
(T. No. 8 N.R. No. 177.) & set a post for the cor.
to Sec. 3 & 4. T. No. 7 N.R. No. 177. from which a
Buck 8 in. dia bears N. 42 E. 20 links dist; & a
Do 20 in. " " S. 8 E. 27 " "
Sand soil timber &c same as the last mile.

North Between Sec. 32. & 33. T. No. 7 N.R. No. 177.

6.00 To a Spring Brook 8 links wide; course E.

T. No. 7 N.R. No. 177. 2nd Nov. Ind.

- 20.50 To the above Sp. 3 Berro 8 links wide; Course E.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which an
 Ash 20 mi. dia bears N 37 E. 8 links dist; 1 c
 Buck 6 n ~ ~ N 17 N. 20 n ~
 43.50 To a Berro 15 links wide; Course N.E.
 80.00 Set a post for the cor. to sec. 28, 29, 32, 133. from
 which a Buck 12 mi. dia bears S 40 E 14 links dist; 1 c
 Do 18 n ~ ~ N 52 E. 40 n ~
 Sand, rolling and rich; Timber Sugar, Ash, Buck

East On a Random line between Sec. 28. & 33. T. No. 7 N.R. No. 177.

- 12.00 To a Berro 100 links wide; Course South
 30.00 ~ the N. Ends of the same Berro.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.00 Intersected the N.P. line 70 links South of the post
 set for the cor. to sec. 27, 28, 33, & 34
 Sand, Soil, timber, n.g. same as on the last mile.

West On a true line between Sec. 28. & 33. T. No. 7 N.R. 177.

- 40.00 Set the temporary post on the true line at the app. dist
 for the cor. to $\frac{1}{4}$ sec. from which a
 White 20 mi. dia bears N 57 W. 13 links dist; 1 c
 Do 20. 24 n ~ ~ N 72 E. 12 n ~
 80.00 To the post set for the cor. to sec. 28, 29, 32, 133.

North Between Sec. 28, & 29 T. No. 7 N.R. No. 177.

- 40.00 To a Buck 4 mi dia. which stands for the cor. to $\frac{1}{4}$ sec.
 55.00 To a Berro 100 links wide; Course E.
 65.00 ~ the East Ends of the same.
 80.00 Set a post for the cor. to sec. 20, 21, 28, & 29
 from which sugar - in dia bears S 76 E. 21 links
 dist; 1 c and woods 4 n ~ ~ N 68 W. 4 n ~
 Sand Soil timber & c same as the last mile.

East On a Random line between Sec. 21. & 28. T. No. 7 N.R. No. 177.

T. No 7 N.R. No 1 W. 2nd Mer. (Shd.)

- 6.50 To a Brook 12 miles wide; course S.E.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
 80.10 Intersected the N & S line at the first set for the cor.
 to Sec. 21, 22, 27, 28. Same as the last
 mile.

- West - Between Sec. 21 & 28 On a true line T. No 7 N.R. No 1 W.
 40.05 Set the temporary post at the aver. dist in the true line
 for the cor. to $\frac{1}{4}$ Sec. from which a
 Chyau 8 in. dia bears N 76 E. 21 miles dist; & a
 Do 8 " " " S 12 E. 21 " "
 80.10 To the first set for the cor. to Sec. 20, 21, 28, & 29

- North Between Sec. 20 & 21 T. No 7 N.R. No 1 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Elm 18 in. dia bears N 14 W. 26 miles dist; & a
 Buck 8 " " " S 26 W. 19 " "
 69.50 To a Brook 10 miles wide; course East
 80.00 Set a post for the cor. to Sec. 16, 17, 21, & 21. From
 which a Buck 26 in. dia bears N 18 E. 12 miles
 dist; & a Chyau 4 " " " S 20 W. 6 "
 - Same as the last mile.

- East On a Random line between Sec. 16 & 21 T. No 7 N.R. No 1 W.
 32.00 To a Brook 20 miles wide; course S.W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
 80.00 Intersected the N & S line at the first set for the
 cor. to Sec. 15, 16, 21, & 22
 Same as the last mile.

- West On a true line between Sec. 16 & 21 T. No 7 N.R. No 1 W.
 40.06 Set the temporary post at the aver. dist in the true
 line for the cor. to $\frac{1}{4}$ Sec. from which a
 Chyau 10 in. dia bears N 20 E 22 miles dist; & a
 Do 5 " " " S 33 E. 21 " "

T. No. 7. N. W. R. No. 104. 2nd Mar. (Ind.)

80.12 To the first set for the cor. to sec. 16, 17, 20, & 21.

North Bottom Sec. 16 P 17 T. No. 7. N. W. R. No. 104.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 5 mi. air line S 29 E 19 miles dist; 1 a
Do 4 " " " N 81 E 20 " "

51.00 To a Brook 5 miles; course E.

80.00 Set a post for the cor. to sec. 8, 9, 16, & 17 from which
a Buck 30 mi. air line East 3 miles dist; 1 a
Gage 8 " " " S 40 N. 28 " "
Lands sold same as the last mile.

East On a Random between Sec. 9 & 16

4.00 Brook 6 South

40.00 Set a trip $\frac{1}{4}$ sec post

66.00 Brook 10 E. S.

79.20 Intersected the N. S. line 44 miles North of sec. cor.
Land same

West On true line between Sec. 9 & 16

39.60 Set post at aver. dist. on true line for N. cor. from
which a Gage 6. N 13 E 17
Iron work 5 S 74 N. 14

79.20 To sec. cor.

North Bottom Sec. 8 & 9

40.00 Set $\frac{1}{4}$ sec post from which a
Buck 30 S 36 N 26

20, 10 S 42 E 25

80.00 Set a post for cor. to sec. 4, 5, 8, 9, from which a
Gage 18 " N 8 E 13 miles dist

Buck 20 S 79 N 36 " "

Lands sold same

East On a Random line between Sec. 4 & 9.

40.00 Set a trip $\frac{1}{4}$ sec post

T 7 N. R. No 177. 2^d Mer. Inda

60.00 Brook 10 Curve S.
 79.28 To Sw cor. Same same

West On the true line between Sec. 4 & 9
 39.64 Set post at corner mark on a true line from which a
 S 75 E 17
 L. 13 S 7 E 27
 79.28 Sw cor.

North Between Sec. 4 & 5
 11.00 Poplar 20
 44.00 Set 1/4 sec post from which a
 N 46 E 6.
 Log woods 4 S 14 E 18
 64.00 Brook 10 Curve N.
 80.22 Set a post on the N 13 road 33 links E. of Sw
 post from which a N 79 W 28
 16 in 20 S 34 E 10
 Sand bar to same

North Between Sec. 31 & 32
 40.00 Set 1/4 sec post from which a
 N 59 E 21.
 L. 13 S 78 W 27
 48.00 Brook 20 Curve N. E.
 80.00 Set post for the cor to Sec. 29, 30, 31, 32 from
 which a Log woods 4 in. in hand S 14 E. 26
 Elm 7 N 59 W 20
 Sand bar to same

East On a Random line between Sec. 29 & 32
 40.00 Set temp. 1/4 sec post
 80.18 Intersected the N 13 line at Sw. cor.
 Same the same

West On true line between Sec. 29 & 32

T. No. 7. N.R. No. 177 2nd Mer. Ind.

- 40.09 Set the temporary post at the aver. dist. on the true line for the cor. to 1/4 sec. from which a
 Buck 10 mi. dist. bears N 28 E. 28 miles dist; 10
 Do 4 " " " S 85 E. 22 " "
- 80.18 To the post set for the cor. to sec. 29, 30, 31 & 32

- North Return Sec. 29 & 30 T. No. 7. N.R. No. 177.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Sugar 8 mi. dist. bears N 67 E. 19 miles dist; 10
 Do 8 " " " S 77 E. 33 " "
- 80.00 Set a post for the cor. to sec. 19, 20, 29, 30 from
 which a Buck 15 mi. dist. bears N 59 E. 22 miles dist.
 course a Do 25 " " " S 48 E. 31 " "
 Sand Soil timber &c same as the last mile

- East On a random line between Sec. 20 & 29. T. No. 7. N.R. No. 177
- 31.50 To a Brook 75 miles mid; course S.E.
- 37.50 " " " 75 " " " N.E.
- 40.00 Set a temporary post for the cor. to 1/4 sec.
- 40.50 To a Brook 75 miles mid; course S.E.
- 81.00 From section the N & S line 100 miles North of the
 post set for the cor. to sec. 20, 21, 28, & 29
 Sand Soil timber &c same as the last mile.

- West Return Sec. 20 & 29 main line
- 40.50 Set the temporary post at the aver. dist; on the true line
 for the cor. to 1/4 sec; This cor. could not be set on
 account of water.
- 81.00 To the post set 19, 20, 29, & 30.

- North Return Sec. 20 & 19 T. No. 7. N.R. No. 177
- 29.00 To a Brook 80 miles mid; course N.E.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Hackberry 12 mi. dist. bears S 41 W. 17 miles dist; 10
 Sugar 15 " " " N 40 E. 26 " "

T. No 7. N.R. No 177. 2nd Mer. (Ind.)

80.00 Set a post for the cor. to sec. 17, 18, 19 & 20. from which a Buck 15 mi. diam. house S 73 E 11 miles dist; to

Do 10 " " " S 63 W 15 " "
Sands soil & timber same as the last mile.

East On a Random line between Sec. 17 & 20. T. 7 N. R. 17 W.

27.00 To a Buck 12 miles wide; house S 7 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.40 Enter the N & S line 23 miles N. of the post set for the cor. to sec. 16, 17, 20 & 21.

Sands soil timber &c same as the last mile.

West On a true line between Sec. 17 & 20 T. 7 N. R. 17 W.

40.20 Set the temporary post at the aver dist; on the true line for the cor. to 1/4 sec. from which a

Buck 10 mi. diam. house N 26 E. 5 miles dist; to

Do 5 " " " S 19 W. 9 " "

80.40 To the post set for the cor. to sec. 17, 18, 19 & 20

North Between Sec. 17 & 18 T. No 7. N.R. No 177.

40.00 Set a post for the cor. to 1/4 sec. from which a

W Oak 24 mi. diam. house S 30 E. 6 miles dist; to

Buck 6 " " " S 88 W 12 " "

80.00 Set a post for the cor. to sec. 7 & 8, 17 & 18 from which a Buck 30 mi. diam. house South 15 1/2 miles dist;

map a Do 12 " " " N 45 W. 12 " "

Sands rolling; timber Buck, Sugar, Poplar, Ash, &c.

East On a Random line between Sec. 8 & 17 T. 7 N. R. 17 W.

13.00 To a Buck 6 miles wide; house South.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.70 Enter the N & S line 12 miles South of the post set for the cor. to sec. 8, 9, 16, 17.

Sands soil and timber N.Y. &c same as on the last mile.

T. No. 7. N.R. No. 17. 2nd Mer. (Ind. a)

West On a true line between Sect. 8 & 17. T. No. 7. N.R. No. 17.
 40.00 Set the temporary post at the av. dist on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Birch 12 in. dia bears S 6 E. 4 links dist; & a
 Do 4 " " " N 28 E 5 " "
 80.00 To the first set for the cor. to Sect. 7, 8, 17, 18.

North Between Sect. 7 & 8 T. No. 7. N.R. No. 17.
 18.00 To a Poplar 36 in. dia stands in the line
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Birch 7 in. dia bears N 3 E. 4 links dist; & a
 Do 6 " " " N 24 W 22 " "
 46.00 To a Brook 10 links wide; corner N.
 80.00 Set a post for the cor. to Sect. 5, 6, 7, 8. from which
 a Birch 18 in. dia bears South 8 links dist; & a
 Sugar 12 " " " S 6 E. 43 " "
 Sand, soil, timber, &c same as the last mile.

East On a Random line between Sect. 5 & 8 T. No. 7. N.R. No. 17.
 33.00 To a Brook 10 links wide; corner S. W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.16 Intersected the N & S line 33 links South of the
 first set for the cor. to Sect. 4, 5, 8, 9.
 Sand, soil and timber same as the last mile.

West On the true line between Sect. 5 & 8. T. No. 7. N.R. No. 17.
 39.58 Set the temporary post at the av. dist on the true
 line for the cor. to the $\frac{1}{4}$ sec. from which a
 Poplar 10 in. dia bears N 7 W. 10 links dist; & a
 Sugar 5 " " " N 75 E. 9 " "
 79.16 To the first set for the cor. to Sect. 5, 6, 7, 8.

North Between Sect. 5 & 6. T. No. 7. N.R. No. 17.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Birch 8 in. dia bears S 29 E. 24 links dist; & a
 Sugar 5 " " " N 33 W. 11 " "

T. N. 7. N. R. N. 17. 2nd Mer. (Ind. a.)

44.00 To a Brook 20 Mts. mid; Course West.

67.00 " " " 10 " " " " "

80.54 Intersected the N. Boundary of T. N. 7. N. R. N. 17. (145 Mts East of the first cut for the cor. to Sec. 31. 032 T. N. 8. N. R. 17.) & set a post for the cor. to Sec. 586 from which a Sugar 12 in dia bears S 66 W. 20 links dist; to Logwood 5 " " " S 4 W. 20 " " Sand pit timber same as the last mile

West Mature line between Sec 6 & 7. T. 7. N. R. N. 17

40.00 Set a post for the cor. to Sec. 586 from which a Sugar 10 in. dia bears N 36 E 3 links dist; to Do 9 " " " S 37 W 35 " "

81.00 To a Brook 100 links mid; Course S.

83.43 Intersected the W. Boundary of T. N. 7. N. R. N. 17. (385 links S. of the first cut for the cor. to Sec. 1. 112 T. N. 7. N. R. N. 2 W.) and set a post from which a Sugar 24 in. dia bears East 19 links dist; to an Elm 12 " " " S 5 E. 31 " " " Sand pit & timber same as on the last mile

West Mature line between Sec 7. P 18. T. 7. N. R. 17

23.10 To a Brook 8 links mid; Course N.

40.00 Set a post for the cor. to 14 sec. from which a Sugar 36 in. dia bears N 24 E. 19 links dist; to an Oak 18 " " " S 35 W. 19 " "

83.40 Intersected the W. Boundary of T. N. 7. N. R. N. 17. (439 links South of the cor. to Sec. 12 & 13. T. N. 7. N. R. N. 2 W.) & set a post for the cor. to Sec. 7. 118 from which a Sugar 12 in. dia bears N 36 E. 36 links dist; to a Hackberry 12 " " " S 80 W 20 " " Sand same as on the last mile.

T. No 7 N.R. No 1 W. 2nd Mer. (Ind. a)

- West On a true line between Sect 18 & 19. T. No 7 N.R. No 1 W.
 30.50 To a Brook 12 links wide; Corner S.W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 N. Walnut 12 in. dia bears N 82 E. 40 links dist;
 & an Iron rod 5 " " " N 20 E. 30 " "
 40.13 To a Brook 75 links wide; Corner S.E.
 52.50 " " " 75 " " " N.W.
 79.00 " " same " " " " S.E.
 85.00 Intersected the West & Bound. of T. No 7 N.R. No
 1 W. (250 links South of the sec. cor for 13 & 24
 T. No 7 N.R. No 2 W.) & set a post for the cor to
 Sect. 18 & 19 from which a Buck 4 in. dia bears
 N 54 W. 4 links dist; & a Do 4 " " "
 S 42 E. 8 " "
 Sands, soil, timber, &c same as the last mile &c

- West Between Sect. 19 & 30. T. No 7 N.R. No 1 W.
 12.00 To a Brook 15 links wide; Corner N.E.
 40.00 Set a post for the cor to 1/4 sec. from which a
 Buck 8 in. dia bears N 4 E. 34 links dist; & a
 Do 10 " " " S 35 W. 11 " "
 62.00 To a Brook 12 links wide bears N.E.
 84.74 Intersected the Range line or W. Boundary of
 T. No 7 N.R. No 1 W. 16 4 links South of the
 post set for the cor. to Sect. 24 & 25. T. No 7 N.R.
 No 2 W.) & marked the cor. on a Buck 14 in. dia
 Sands soil timber &c same as the last mile.

- West Between Sect. 30 & 31 T. No 7 N.R. No 1 W.
 40.00 Set a post for the cor to 1/4 sec. from which a
 Hick 18 in. dia bears N 72 W. 23 links dist; & a
 Sugar 8 " " " S 25 E. 32 " "
 84.85 Set a post on the West Boundary. 25 links dist;
 South of the post set for the cor. to Sect 25 & 36
 T. No 7 N.R. No 2 W. from which a
 Buck 8 in. dia bears N 45 E. 52 links dist; & a

224

T. N. 7 N. R. N. 1 W. 2nd Mer.

Beck 4 m. all bars S. 71 E. 30 miles dist;
Sundevit timber & same as the last mile:

Surveyed by
Arthur Hennin L.S.

I certify that the foregoing transcript of the field notes
of Township N. 7. North of Range N. 1 West, of the
2nd Mer. Indiana, has been compared with the Orig-
inal notes in this Office, and found to be correct.

Surveyor General's Office
Cincinnati, Nov. 8. 1840

E. S. Rains
Sur. Genl.